
A GPM-DPR Neural Network falling snow retrieval: Evaluation and comparison against CloudSat

Stephen W. Nesbitt, Randy J. Chase*, Greg M. McFarquhar


*presenting author






Crystal Pictures by Don Komarechka @donkom, doncom.ca


GPM-DPR estimates of *R* are low (Casella et al. 2017; Heymsfield et al. 2018; Skofronick-Jackson et al. 2019)






We suggest an alternative method

Adapted from Chase et al. in review




OLYMPEX Case 03-Dec-2015

2ADPR vo6




OLYMPEX Case 03-Dec-2015


Neural Network



COIN data processing




CloudSat Comparison




Has to have 3 gates of KaPR (>18dBZ) in the profile*

For all stratiform instances where there is KaPR data, 2CSP is lower than our new NN. Meanwhile the NN is closest to the 2ADPR rain

IMPACTS: 07-Feb-2020



OLYMPEX Case: 18 December 2015



Conclusions

- 1) We have developed an alternative retrieval method for snow that compares well to NASA GV in-situ
- 2) The Cloudsat 2CSP retrieval decreases from -15°C to -2.5°C when KaPR > 18 dBZ, while the new retrieval matches best to the rain retrieval
- 3) Case studies from IMPACTS and OLYMPEX highlight some of the challenges with W-band only retrievals

Chase, R. J., Nesbitt, S. W. and McFarquhar, G. M. 2020 MDPI Atmosphere


Chase, R. J., Nesbitt, S. W. and McFarquhar, G. M. in review JAMC

Chase, R. J., Nesbitt, S. W., McFarquhar, G. M. and Wood, N. in prep GRL



Extras





Case Study 3: OLYMPEX 03-Dec-2015

